# 1. Part No. Expression

# PBP 107360 P4 60 N M

- (a)
- (b)
- (c)
- (d) (e)
- (a) Series Code


(d) Inductance Code


(b) Dimension Code


(e) Tolerance Code


(c) Material Code


# 2. Configuration & Dimensions (Unit: mm)












Recommended PCB Layout

- Note: 1. The above PCB layout reference only.
  - 2. Recommend solder paste thickness at 0.15 mm and above.
  - 3. Marking: Inductance Code, Black
  - 4. Electrode position does not represent polarity.


| А         | В         | С         | D         | E         | F         | G         |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 9.70±0.30 | 7.00±0.30 | 5.70±0.30 | 2.80±0.30 | 3.50±0.30 | 1.70±0.30 | 1.40±0.30 |
| Т         | T1        | 4P        | L         | Н         | I         | J         |
| 0.70±0.30 | 0.15±0.10 | ≤0.10     | 9.00 Ref  | 7.30 Ref  | 1.70 Ref  | 1.40 Ref  |



### 3. Schematic



### 4. Material List



| NO  | Item     |  |  |  |
|-----|----------|--|--|--|
| (a) | Core     |  |  |  |
| (b) | Clip     |  |  |  |
| (c) | Paint    |  |  |  |
| (d) | Terminal |  |  |  |
| (e) | Ink      |  |  |  |

## 5. General Specifications

- (a) Operating Temp.: -40°C to 125°C (including self-temperature rise)
- (b) Storage Temp.: -40°C to 125°C (on board)
- (c) All test data referenced to 25°C ambient.
- (d) Heat Rated Current (Irms) will cause the coil temperature rise approximately  $\Delta T$  of 40°C.
- (e) Saturation Current (Isat) will cause inductance L0 to drop approximately 30%.
- (f) Rated DC Current: The lower value of Irms and Isat.
- (g) Part Temperature (Ambient + Temp. Rise): Should not exceed 125°C under worst case operating conditions.
- (h) Storage Condition (Component in its packaging)

i) Temperature: Less than 40°C

ii) Humidity: Less than 85% RH





## 6. Electrical Characteristics

| Part Number     | Electrode pin position | Inductance<br>(µH) @0A | Irms<br>(A) |      | Isat<br>(A) |      | DCR<br>(mΩ) |      | Coupling<br>Coefficient |
|-----------------|------------------------|------------------------|-------------|------|-------------|------|-------------|------|-------------------------|
|                 | pin position           | ±20%                   | Тур         | Max  | Тур         | Max  | Тур         | Max  | Тур                     |
| PBP107360P460NM | P1-2 · P3-4            | 0.06                   | 74.0        | 64.0 | 105.0       | 92.0 | 0.13        | 0.15 | 0.05                    |
| PBP107360P470NM | P1-2 · P3-4            | 0.07                   | 72.0        | 62.0 | 95.0        | 82.0 | 0.13        | 0.15 | 0.05                    |
| PBP107360P485NM | P1-2 · P3-4            | 0.085                  | 68.0        | 58.0 | 88.0        | 75.0 | 0.14        | 0.16 | 0.05                    |

Test frequency: 1.0V/100KHz

## 7. Characteristics Curve







# 8. Soldering Specification

Mildly activated rosin fluxes are preferred. Our terminations are suitable for re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.

#### 8-1. IR Soldering Reflow

Recommended temperature profiles for lead free re-flow soldering in Figure 1, Table 1.1 & 1.2 (J-STD-020E).

### 8-2. Iron Reflow

Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended (Figure 2).

#### Note:

- (a) Preheat circuit and products to 150°C.
- (b) 355°C tip temperature (Max.)
- (c) Never contact the ceramic with the iron tip
- (d) 1.0mm tip diameter (Max.)
- (e) Use a 20 watt soldering iron with tip diameter of 1.0mm
- (f) Limit soldering time to 4~5 sec.





Figure 1: IR Soldering Reflow



Iron Soldering times: 1 times max.

Soldering iron method: 350±5°C Max

Figure 2: Iron soldering temperature profiles



Table (1.1) Reflow Profiles

| Profile Type:  | Pb-Free Assembly |
|--|------------------|
| Preheat  |                  |
| -Temperature Min (T <sub>smin</sub> )                                      | 150°C            |
| -Temperature Max (T <sub>smax</sub> )                                      | 200°C            |
| -Time (t <sub>s</sub> ) from (T <sub>smin</sub> to T <sub>smax</sub> )     | 60-120seconds    |
| Ramp-up rate (T <sub>L</sub> to T <sub>p</sub> )                           | 3°C /second max. |
| Liquids temperature (T <sub>L</sub> )                                      | 217°C            |
| Time (t <sub>L</sub> ) maintained above T <sub>L</sub>                     | 60-150 seconds   |
| Classification temperature (Tc)  | See Table (1.2)  |
| Time (t <sub>p</sub> ) at Tc- 5°C (Tp should be equal to or less than Tc.) | *< 30 seconds    |
| Ramp-down rate $(T_p \text{ to } T_L)$                                     | 6°C /second max. |
| Time 25°C to peak temperature  | 8 minutes max.   |

**Tp**: maximum peak package body temperature, **Tc**: the classification temperature.

For user (customer) **Tp** should be equal to or less than **Tc**.

Table (1.2) Package Thickness/Volume and Classification Temperature (Tc)


|          | Package   | Volume mm <sup>3</sup> | Volume mm <sup>3</sup> | Volume    |
|----------|-----------|------------------------|------------------------|-----------|
|          | Thickness | <350                   | 350-2000               | mm³ >2000 |
| PB-Free  | <1.6mm    | 260°C                  | 260°C                  | 260°C     |
|          | 1.6-2.5mm | 260°C                  | 250°C                  | 245°C     |
| Assembly | ≥2.5mm    | 250°C                  | 245°C                  | 245°C     |

Reflow is referred to standard IPC/JEDEC J-STD-020E.

<sup>\*</sup>Tolerance for peak profile temperature (Tp) is defined as a supplier minimum and a user maximum.


# 9. Packaging Information

### 9-1. Reel Dimension (Unit: mm)



| Туре     | А             | В         | С             | D     | Е       |
|----------|---------------|-----------|---------------|-------|---------|
| 13"x24mm | 24.4+2.0/-0.0 | 100.0±2.0 | 13.0+0.5/-0.2 | 330.0 | 2.0±0.5 |

### 9-2. Tape Dimension (Unit: mm)




| В0         | A0         | K0        | Р          | P0        | P2        |
|------------|------------|-----------|------------|-----------|-----------|
| 10.60 Ref  | 7.70 Ref   | 6.50 Ref  | 16.00±0.10 | 4.00±0.10 | 2.00±0.10 |
| W          | F          | E         | Т          | D         | -         |
| 24.00±0.30 | 11.50±0.10 | 1.75±0.10 | 0.50±0.05  | 1.50±0.10 | -         |



### 9-3. Packaging Quantity (Unit: Pcs)

| Chip/ Reel | 600 |
|------------|-----|
| Chip/ Reel | 600 |

### 9-4. Tearing Off Force



The force for tearing off cover tape is according to the follow table, in the arrow direction under the following conditions.

(Referenced ANSI/EIA-481-D-2008 of 4.11 standard)

|   | Room<br>Temp.<br>(°C) | Room<br>Humidity<br>(%) | Room atm<br>(hPa) | Tearing<br>Speed<br>(mm/min) |
|---|-----------------------|-------------------------|-------------------|------------------------------|
| Ī | 5~35                  | 45~85                   | 860~1060          | 300±10                       |

| Tape Size                       | 8 mm   | 12 to 56 mm | 72 mm or Wider |
|---------------------------------|--------|-------------|----------------|
| Tearing Off<br>Force<br>(grams) | 10~100 | 10~130      | 10~150         |

# **Application Notice**

### 1. Storage Conditions

To maintain the solderability of terminal electrodes:

- (a) Recommended products should be used within 12 months from the time of delivery.
- (b) The packaging material should be kept where no chlorine or sulfur exists in the air.

### 2. Transportation

- (a) Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
- (b) Vacuum pick up is strongly recommended for individual components.
- (c) Bulk handling should ensure that abrasion and mechanical shock are minimized.

